



## **Metacrop CPN-10**

ICI Pakistan Ltd.

5 WEST WHARF KARACHI

EMERGENCY TELEPHONE: 111-100-200

### **SECTION NUMBER AND HEADING**

1. IDENTIFICATION OF THE SUBSTANCE/ PREPARATION AND THE COMPANY
2. COMPOSITION/ INFORMATION ON INGREDIENTS
3. HAZARDS IDENTIFICATION
4. FIRST AID MEASURES
5. FIRE FIGHTING MEASURES
6. ACCIDENTAL RELEASE MEASURES
7. STORAGE AND HANDLING
8. EXPOSURE CONTROLS/ PERSONAL PROTECTION
9. PHYSICAL/ CHEMICAL PROPERTIES
10. STABILITY AND REACTIVITY
11. TOXICOLOGICAL INFORMATION
12. ECOLOGICAL INFORMATION
13. DISPOSAL CONSIDERATIONS
14. TRANSPORT INFORMATION
15. REGULATORY INFORMATION
16. OTHER INFORMATION

### **1. IDENTIFICATION OF THE SUBSTANCE/ PREPARATION AND THE COMPANY**

- |     |                        |                               |
|-----|------------------------|-------------------------------|
| 1.1 | CHEMICAL PRODUCT       | METACROP CPN-10               |
| 1.2 | APPLICATION            | CROP EMULSIFIER (NON-ANIONIC) |
| 1.3 | COMPANY IDENTIFICATION | I.C.I Pakistan Ltd.           |
| 1.4 | EMERGENCY TELEPHONE    | 111-100-200                   |

### **2. COMPOSITION/ INFORMATION ON INGREDIENTS**

- |     |                         |                         |           |           |          |
|-----|-------------------------|-------------------------|-----------|-----------|----------|
| 2.1 | CHEMICAL DESCRIPTION    | ALKYL PHENOL ETHOXYLATE |           |           |          |
| 2.2 | INGREDIENTS             | C.P.I CLASS             | CAS No.   | EINECS NO | WT %     |
|     | Alkyl Phenol Ethoxylate | -                       | 9016-45-9 | -         | 98-100 % |



**3. HAZARDS IDENTIFICATION**

EYE CONTACT	MAY CAUSE EYE IRRITATION
SKIN CONTACT	MAY CAUSE SKIN IRRITATION
INGESTION	MAY CAUSE IRRITATION OF THE GASTROINTESTINAL TRACT
INHALATION	AT ROOM TEMPERATURE, VAPORS ARE NOT EXPECTED TO FORM. IF MATERIAL IS HEATED VAPOR CONCENTRATION MAY BECOME SUFFICIENT TO CAUSE RESPIRATORY IRRITATION.

**4. FIRST AID MEASURES**

4.1 EYE CONTACT	IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES, OCCASIONALLY LIFTING THE UPPER AND LOWER EYELIDS. GET MEDICAL AID IF IRRITATION PERSIST,
4.2 SKIN CONTACT	IMMEDIATELY FLUSH SKIN WITH PLENTY OF SOAP AND WATER FOR AT LEAST 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING AND SHOES.
4.3 INGESTION	IMMEDIATELY CALLS PHYSICIAN. IF SWALLOWED, INDUCE VOMITING IMMEDIATELY AS DIRECTED BY MEDICAL PERSONNEL. IF PERSON VOMITS WHILE LYING ON HIS BACK, PLACE HIM IN AN UPRIGHT POSITION.
4.4 INHALATION	IF DIFFICULTIES OCCUR AFTER VAPOUR/AEOSOL HAS BEEN INHALED, REMOVE TO FRESH AIR AND SEEK MEDICAL ATTENTION.

**5. FIRE EXTINGUISHING MEDIA**

**GENERAL INFORMATION** AS IN ANY FIRE, WEAR A SELF-CONTAINED BREATHING APPARATUS WITH PRESSURE ON DEMAND, MSHA/NIOSH (APPROVED OREQUIVALENT), AND FULL PROTECTIVE GEAR. PRODUCT WILL BURN IF INVOLVED IN A FIRE.

5.1 EXTINGUISHING MEDIA	WATER SPRAY JET, ALCOHOL RESISTANT FOAM, CO2 DRY POWDER.
5.2 FIRE AND EXPLOSION HAZARDS	THE PRODUCT IS INFLAMMABLE (FLASH POINT >94 DEG C)
5.3 PROTECTIVE MEASURES	A SELF FULL OXYGEN BOTTLE CONTAINED BREATHING SHOULD BE USED TO QUENCH FIRE. SUGGESTED PROTECTIVE CLOTHING.



**6. ACCIDENTAL RELEASE MEASURES**

- |     |                      |   |
|-----|----------------------|---|
| 6.1 | PERSONAL PRECAUTIONS | AVOID DIRECT CONTACT WITH EYES.   |
| 6.2 | ENVIRONMENTAL        | DO NOT ALLOW CHEMICAL TO ENTER PRECAUTIONS WATER SOURCES AND SEWER SYSTEMS  |
| 6.3 | CLEANING UP          | CONTAIN SPILLAGES WITH SAND, EARTH OR ANY SUITABLE ADSORBENT MATERIAL. TRANSFER TO A CONTAINER FOR DISPOSAL. WASH THE SPILLAGE AREA. FOLLOW LOCAL REGULATIONS FOR DISPOSAL. |

**7. STORAGE AND HANDLING**

- |     |                        |   |
|-----|------------------------|---|
| 7.1 | STORAGE                | KEEP ONLY THE ORIGINAL CONTAINER IN A WELL-VENTILATED PLACE<br>KEEP CONTAINER TIGHTLY CLOSED. STORE AT ROOM. TEMPERATURE. |
| 7.2 | RECOMMENDED SHELF LIFE | 24 MONTHS   |
| 7.3 | HANDLING               | HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE PRACTISES AND USUAL SAFETY MEASURES                                     |

**8. EXPOSURE CONTROLS/ PERSONAL PROTECTION**

- |     |                               |  |
|-----|-------------------------------|--|
| 8.1 | OCCUPATIONAL EXPOSURE LIMITS  | NOT ASSESSED   |
|     | CHEMICAL                      |  |
| 8.2 | ENGINEERING MEASURES          | ENSURE ADEQUATE VENTILATION                                    |
| 8.3 | PERSONAL PROTECTIVE EQUIPMENT |  |
|     | RESPIRATOR PROTECTION         | NOT REQUIRED<br>(INCASE REQUIRED: APPROVED ORGANIC VAPOR MIST) |
|     | HAND PROTECTION               | WEAR GLOVES  |
|     | EYE PROTECTION                | WEAR GOGGLES   |
|     | SKIN PROTECTION               | AVOID CONTACT WITH SKIN  |

**9. PHYSICAL/ CHEMICAL PROPERTIES**

- |     |            |                                      |
|-----|------------|--------------------------------------|
| 9.1 | APPEARANCE | CLEAR LIQUID AT 40 – 50 DEG C        |
| 9.2 | COLOR      | WHITE AT TEMPERATURE BELOW 20 DEG C  |
| 9.3 | PH         | 6 – 8. APPROX 10 % AQUEOUS SOLUTION) |



9.4	VISCOSITY	280 cps at 25°C
9.5	POUR POINT	NA
9.6	FLASH POINT	>94 DEG C (METHOD: EN 22719 – CLOSED CUP)
9.7	AUTOFLAMMABILITY	NA
9.8	SOLUBILITY	SOLUBLE IN WATER
<b>10.</b>	<b>STABILITY AND REACTIVITY</b>	
10.1	STABILITY	STABLE UNDER NORMAL WORKING CONDITIONS.
10.2	CONDITIONS TO AVOID	KEEP AWAY FROM HEAT, OPEN FLAMES, HOT SURFACES, SOURCES OF IGNITION
10.3	MATERIALS TO AVOID	STRONG OXIDIZING AGENTS
10.4	HAZARDOUS DECOMPOSITION PRODUCTS	NONE UNDER NORMAL CONDITIONS
<b>11.</b>	<b>TOXICOLOGICAL INFORMATION</b>	
11.1	SHORT TERM EFFECTS	
	EYE CONTACT	IRRITANT TO EYES
	SKIN CONTACT	IRRITANT TO SKIN
	INGESTION	VERY LOW TOXICITY
	INHALATION	NOT APPLICABLE
11.2	CHRONIC EFFECTS	PROLONGED USE MAY CAUSE DERMATITIS
11.3	CARCINOGENICITY	NOT LISTED BY ACGIH, IARC, NIOSH, NTP, OR OSHA
<b>12.</b>	<b>ECOLOGICAL INFORMATION</b>	
12.1	LC 50	(LD50 > 1400 mg/kg
12.2	BIODEGRADEBILITY	> 80 %
12.3	COD	1.42 mg/mg



**13. DISPOSAL CONSIDERATIONS**

DISPOSAL SHOULD BE IN ACCORDANCE WITH LOCAL, STATE OR NATIONAL LEGISLATION.

**14. TRANSPORT INFORMATION**

14.1 PACKAGING 200 Kg

**15. REGULATORY INFORMATION**

15.1 C.P.L CLASSIFICATION NOT APPLICABLE  
HAZARD PICTOGRAM Xi (IRRITANT)



**16. OTHER INFORMATION**

ISSUE NUMBER 1 DATE March 2015